

# MILLISCOPE HDX

**A HIGH RESOLUTION ARTICULATING  
CMOS VIDEOSCOPE**

IN 2.5mm DIAMETER AND LENGTHS UP TO  
1.5 METERS




The **Milliscope HDX** is a small diameter, high resolution articulating videoscope that interfaces with our **Milliscope HD** base unit. A miniature 160,000 pixel CMOS image sensor combined with **Zebra Corp's** high performance optics allows RVI users unparalleled visualization in restricted areas. All **Milliscope HDX** probes use durable braided Tungsten outer sheathing and are built to withstand the harshest inspection environments. Custom **Milliscope HDX** videoscopes are designed to meet all your specific inspection requirements.

## DETAILS

- Scope Diameter: 2.5mm  $\varnothing$
- Scope Shaft Lengths: 500mm - 1.5m
- Shaft Material: Tungsten Braided/ Sealed Monocoil
- 2 Way Articulation: +/- 100° Up/Down w/ Motion Lock
- View Directions: Ranges from 0° - 90° (product specific)
- FOV/DOF: 120° D-FOV/ 1-50mm depth of focus

## FEATURES

- User selectable auto & manual camera exposure modes
- Push button image rotation in 90° increments
- Integrated adjustable LED scope illumination system
- Push button image & video recording to USB storage drive
- On screen text display for all LED and camera gain settings
- MHD Base unit accepts interchangeable Fiberscope Camera handle and HDV videoscopes along with the HDX Videoscope



1-800-758-8773  
640 AMERICAN LEGION HWY  
WESTPORT MA 02790  
[sales@zibracorp.com](mailto:sales@zibracorp.com)